Serial No.: 10/782,963

## **AMENDMENTS TO THE CLAIMS**

This listing of the claims replaces all prior versions, and listings, of claims in the application:

## **LISTING OF CLAIMS**

1. (Previously Presented) A method for enabling a mobile device to control notification of events, the method comprising:

activating, at the mobile device, a first notification profile comprising a first set of notification control options selected at the mobile device wherein the mobile device is capable of comparing both a time parameter and a location parameter with a current time and a current location, the current location determined using at least one of a cellular base station or a Global Positioning System (GPS);

enabling definition of any enabled switch condition by directly specifying at least one of the time parameter and the location parameter at the mobile device; and

switching to a second notification profile when the switch condition defined at the mobile device is satisfied, the second notification profile comprising a second set of notification control options,

wherein the first and second notification profiles each define respective notification control options that apply to the notification of events generated by at least two different event generating and handling components on the mobile device wherein the event generating and handling components on the mobile device include at least two of an alarm, a calendar, email, phone and SMS.

## 2. (Cancelled)

- 3. **(Previously Presented)** The method of claim 1 wherein said switch condition is defined in relation both the time parameter and the location parameter.
- 4. (Previously Presented) The method of claim 1 wherein said current location is determined only using Global Positioning System (GPS).

Commissioner for Patents Serial No.: 10/782,963 Reply to Office Action of December 5, 2007

Page 3

5. (Previously Presented) The method of claim 1 comprising storing the switch

condition in association with one of the first and second notification profiles to facilitate re-

use of a stored switch condition.

6. (Original) The method of claim 5 wherein defining the switch condition

comprises accessing the stored switch condition for re-use.

7. (Previously Presented) The method of claim 1 wherein said first notification

profile comprises options defined to disable notification of at least some of the events and

said second notification profile comprises options defined to enable notification of said at

least some of the events whereby the switching automatically enables notification upon the

satisfaction of the switch condition.

8. (Previously Presented) The method of claim 1 wherein said first notification

profile comprises options defined to enable notification of at least some of the events and said

second notification profile comprises options defined to disable notification of said at least

some of the events whereby the switching automatically disables notification upon the

satisfaction of the switch condition.

9. (Previously Presented) The method of claim 1 comprising:

enabling said first notification profile to control the notification thereby replacing a

previously enabled notification profile; and

defining said second notification profile in accordance with said previously enabled

notification profile such that said switching automatically re-enables the previously

enabled notification profile.

10. (Previously Presented) A mobile device for managing events, wherein the

mobile device is capable of comparing time and location parameters with a current time and a

current location, the mobile device comprising:

a user interface for the notification of the events, the notification being controlled by a

current one of a plurality of notification profiles, each notification profile being

defined by notification options that apply to the notification of events generated by at

least two different event generating and handling components on the mobile device

wherein the event generating and handling components on the mobile device include

Page 4

at least two of an alarm, a calendar, email, phone and SMS, said user interface

comprising:

a notification profile switch component to automatically switch the current

notification profile to a next notification profile selected from the plurality of notification

profiles in response to a switch condition being satisfied;

a notification profile enablement component to enable selection, at the mobile device,

of one of said notification profiles to be temporarily activated as the current notification

profile and to enable definition, at the mobile device, of the switch condition that causes the

current notification profile to switch to the next notification profile by directly specifying the

switch condition in terms of at least one of a time parameter and a location parameter; and

logic to compare the switch condition with one of a current time and a current

location, the current location determined using at least one of a cellular base station and a

Global Positioning System (GPS).

11. (Previously Presented) The device of claim 10 wherein the notification profile

enablement component enables definition, at the mobile device, of switch conditions for more

than one of said notification profiles.

12. (Previously Presented) The device of claim 11 wherein the notification profile

enablement component defines switch conditions in response to both the time parameter and

the device location parameter.

13. (Cancelled)

14. (Original) The device of claim 10 comprising a switch condition monitoring

component to monitor the satisfaction of the switch condition to determine the automatic

switching.

15. (Previously Presented) The device of claim 11 wherein the user interface is

adapted to store the switch condition in association with one of the notification profiles to

facilitate re-use of the switch condition.

16. (Previously Presented) The device of claim 15 wherein the notification profile

enablement component is adapted to access the stored switch condition for re-use.

Commissioner for Patents Serial No.: 10/782,963 Reply to Office Action of December 5, 2007

Page 5

17. (Previously Presented) The device of claim 10 wherein the notification profile

enablement component comprises a further switch condition that, if satisfied, automatically

switches from the next notification profile to a new next notification profile.

18. (Previously Presented) The device of claim 10 wherein the next notification

profile is defined in accordance with a last notification profile enabled immediately prior to

the current notification profile such that said notification profile switch component switches

back to the last notification profile.

19. (Previously Presented) The device of claim 10 wherein the notification profile

enablement component can be programmed to temporarily activate one of the plurality of

notification profiles for an amount of time determined at the mobile device.

20. (Previously Presented) A computer program product including a computer

readable medium having a computer program for instructing a processor in a mobile device to

control notification of events, the computer program comprising:

code for enabling, at the mobile device, the temporary activation of a first notification

profile defined by a first set of notification control options selected at the mobile

device, wherein the mobile device is capable of comparing both a time parameter and

a location parameter with a current time and a current location, the current location

determined by at least one of a cellular base station and a Global Positioning System

(GPS);

code for enabling, at the mobile device, the direct selection of any programmed

switch condition by specifying at least one of a time parameter and a location

parameter; and

code for switching automatically to a second notification profile when the switch

condition is satisfied, the second notification profile being defined by a second set of

notification control options,

wherein the first and second notification profiles each define respective notification

control options that apply to the notification of events generated by at least two

different event generating and handling components on the device wherein the event

Commissioner for Patents
Reply to Office Action of December 5, 2007
Page 6

Serial No.: 10/782,963

generating and handling components on the device include at least two of an alarm, a calendar, email, phone and SMS.